

# ORIGINAL LINE H8B

Original spare part



## The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

|   |                        |
|---|------------------------|
| Order reference                             | 64242                  |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


|                 |                    |
|-----------------|--------------------|
| Power input     | 43 W <sup>1)</sup> |
| Nominal voltage | 12.0 V             |
| Nominal wattage | 35.00 W            |
| Test voltage    | 13.2 V             |

<sup>1)</sup> Maximum

Photometrical data

|                         |        |
|-------------------------|--------|
| Luminous flux           | 800 lm |
| Luminous flux tolerance | ±15 %  |

Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 12.0 mm |
| Product weight | 19.00 g |
| Length         | 66.8 mm |

Lifespan

|             |       |
|-------------|-------|
| Lifespan B3 | 400 h |
| Lifespan Tc | 800 h |

Additional product data

|                             |          |
|-----------------------------|----------|
| Base (standard designation) | PGJY19-1 |
|-----------------------------|----------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

|              |     |
|--------------|-----|
| ECE category | H8B |
|--------------|-----|

Country specific categorizations

|                 |       |
|-----------------|-------|
| Order reference | 64242 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|---|------------------------------------|
| Date of Declaration   | 05-03-2024                         |
| Primary Article Identifier  | 4008321055422   4008321065643      |
| Candidate List Substance 1  | No declarable substances contained |
| Declaration No. in SCIP database                                      | In work                            |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321055422 | OSRA64242  | -       | -          | -      |
| 4008321055439 | OSRA64242  | -       | -          | -      |
| 4008321055422 | OSRA64242  | -       | -          | -      |

Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume                | Gross weight |
|---------------|---------------------|---------------------------------|---|-----------------------|--------------|
| 4008321055422 | ORIGINAL LINE H8B   | Folding carton box<br>1         | 33 mm x 37 mm x<br>71 mm                | 0.09 dm <sup>3</sup>  | 25.00 g      |
| 4008321055439 | ORIGINAL LINE H8B   | Bundle<br>10                    | 185 mm x 66 mm x<br>71 mm               | 0.87 dm <sup>3</sup>  | 251.00 g     |
| 4008321055446 | ORIGINAL LINE H8B   | Shipping carton box<br>100      | 341 mm x 191 mm x<br>154 mm             | 10.03 dm <sup>3</sup> | 2701.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM