OSRAM

LEDinspect SLIM MAX1000

Inspectionlights





Dimmer Switch Individually adjustable brightness levels with up to 1000 lm



1000 Lumen Bright, white LED light and uniform light distribution



Multi-Angle Light Output High flexibility due to individual adjustment of the light beam



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. Charging cable and mains adaptor are included in the scope of supply. In accordance with the IP protection class IP65, this inspection light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year guarantee on this product*

Technical data

	Product information				Electrical data		Photometrical data		
Product description	Order reference					Nominal wattage	Light colo LED	color Color temper- ature	
INSPECTION LAMP	LEDIL410	LED insp	ection ligh	ts	3.7 V	10.00 W	White	6000 K	
		LED modu informatio		nensio	ons & weight				
Product description	Luminous flux	Number of LEDs per module	f Hei	ght	Width	Leng		Product veight	
INSPECTION LAMP	1000 lm	2	50.	0 mm	65.0 m	m 365.0) mm 🔤	340.00 g	
	Colors & materials		Lifespan		Additional pr	roduct data			
Product description	Base color	Base color				Number of included batteries			
INSPECTION LAMP	Black / Orange		2 years	,	Yes		L		
			Capabilit	ies	Certificates standards	&	Environme information Information according / EU Regulat 1907/2006	n n Art. 33 of ion (EC)	
	Type of Bat	Type of Battery		gy	IK Class		Date of De	claration	
Product description					IK06		08-03-202		

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
INSPECTION LAMP	4062172355674	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration No. in SCIP database
INSPECTION LAMP	99d5749d-0f33-4ebf- 9ff7-b17da405d236

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.