

LAMPHOLDER GY9.5

Lampholders



Product family benefits

- Lampholders from the same source as the relevant lamps
- Availability of a wide range of lampholders
- Optimum quality at an attractive price

Product family features

- Mature tried and tested contact principle



Product datasheet


Technical data

Electrical data

| | |
|------------------|-----------------------|
| Lamp wattage | 500 W |
| Lamp voltage | 1000 V |
| Ignition voltage | 5.0 kVp ¹⁾ |

¹⁾ Maximum (pulse rating; peak voltage can be up to 1.4 times higher)

Dimensions & weight



| | |
|-------------------------------------|------------------------------------|
| Lead cross section of lead or clamp | 0.82 mm ² ¹⁾ |
|-------------------------------------|------------------------------------|

¹⁾ Leads attached

Capabilities

| | |
|------------------------------|--------|
| Cable/wire types, input side | UL3239 |
|------------------------------|--------|

Product datasheet

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321356000 | LAMPHOLDER GY9.5 | Shipping carton box 2 | 124 mm x 83 mm x 62 mm | 0.64 dm ³ | 216.00 g |
| 4008321356017 | LAMPHOLDER GY9.5 | Shipping carton box 42 | 432 mm x 203 mm x 229 mm | 20.08 dm ³ | 4963.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.