

HNS 30 W G13

PURITEC HNS UV-C | UV-C lamps for purification



Areas of application

- Efficient disinfecting of air, water and surfaces

Product family benefits

- Effective and environment-friendly disinfection without chemicals
- Low mercury content
- Long lifetime due to specific coating
- Ozone-free

Product family features

- Dominant wavelength: 254 nm (OFR version)



Technical data

Product information

Order reference	HNS 30W G13
-----------------	-------------


Electrical data

Nominal voltage	960 V
Lamp voltage	96 V
Construction voltage	9600 V
Nominal current	036 A
Lamp current	036 A
Nominal wattage	3000 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 200...280 nm (UVC)	12 W

Dimensions & weight



Diameter	260 mm
Length	8950 mm

Lifespan

Lifespan	9000 h
----------	--------

Additional product data

Base (standard designation)	G13
-----------------------------	-----

Capabilities

Burning position	Any
------------------	-----

Country specific categorizations

Order reference	HNS 30W G13
-----------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4008321398888 4008321770301
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	331CB7F6-5AE6-4C99-AA71-53C4B13FD145 50822a8b-c63b-4ffa-87ed-642706ca1852

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321398888	OSRHNS30OFR	-	-	-
4008321398888	OSRHNS30OFR	-	-	-
4008321398901	OSRHNS30OFR	-	-	-
4008321770301	-	-	4933164	-
4008321770301	-	-	4933164	-

HNS 30 W G13

PURITEC HNS UV-C | UV-C lamps for purification

Product name	Product name ECG	EAN
HNS 30 W G13	QTP-OPTIMAL 1x18-40	4008321873743

Product datasheet

Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321398888	HNS 30 W G13	Sleeves 1	912 mm x 27 mm x 27 mm	0.66 dm ³	160.00 g
4008321398895	HNS 30 W G13	Shipping carton box 10	928 mm x 85 mm x 145 mm	11.44 dm ³	1832.00 g
4008321398901	HNS 30 W G13	Shipping carton box 100	942 mm x 326 mm x 386 mm	118.54 dm ³	19190.00 g
4008321770301	HNS 30 W G13	Sleeves 1	905 mm x 28 mm x 27 mm	0.68 dm ³	156.00 g
4052899103368	HNS 30 W G13	Shipping carton box 25	929 mm x 150 mm x 155 mm	21.60 dm ³	4226.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.