

DULUX L BL UVA 24 W/78

OSRAM BLUE UV-A | Ultraviolet lamps



Areas of application

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

Product family benefits

- Eco-friendly, chemical-free
- High quality and long service life
- Ideal for insect traps and other UVA applications
- Emits effective long-wave UVA
- Different form factors enable freedom of design
- RoHS-compliant
- Lead-free
- Low mercury content



Product datasheet

Technical data

Product information

Order reference	DUL L BL UVA 24
-----------------	-----------------


Electrical data

Lamp voltage	46 V
Lamp current	0.35 A
Nominal wattage	24.00 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 315...400 nm (UVA)	5.3 W

Dimensions & weight



Diameter	18.0 mm
Length	317.0 mm

Lifespan

Lifespan	9000 h
----------	--------

Additional product data

Base (standard designation)	2G11
-----------------------------	------

Capabilities

Dimmable	No
Burning position	≤180

Country specific categorizations

Product datasheet

Order reference	DUL L BL UVA 24
------------------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899037984	DULUX L BL UVA 24 W/78	Folding carton box 1	46 mm x 27 mm x 347 mm	0.43 dm ³	98.00 g
4052899037991	DULUX L BL UVA 24 W/78	Shipping carton box 10	136 mm x 103 mm x 361 mm	5.06 dm ³	1053.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.