OSRAM

ALLSEASON SUPER / ALLSEASON

Extra visibility under all weather conditions





Extra visibilityDue to yellow coating



Up to 30% more light
For better visibility and significantly shorter reaction times compared to standard halogen lamps



Better sight
Under all weather conditions



Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Product datasheet

Technical data

Product information

Order reference	62204ALL	
Product type (off-road vs. on-road)	Off-road ≙ H4	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data


Power input	100 / 80 W ¹⁾
Nominal voltage	120 V
Nominal wattage	100/90 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	2900/1700 lm	
Luminous flux tolerance	±15 / ±15 %	
Color temperature	3200 K	

Dimensions & weight



Diameter	1700 mm
Product weight	2590 g
Length	820 mm

Lifespan

Lifespan B3	45 / 100 h
Lifespan Tc	90 / 200 h

Additional product data

Product datasheet

Base (standard designation)	P43t

Capabilities

Technology	HAL

Certificates & standards

Country specific categorizations

der reference	62204ALL
---------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	06-03-2024		
Primary Article Identifier	4052899369467 4052899369610 4052899369665 4062172358941		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899369467	ALLSEASON SUPER / ALLSEASON ≙ H4	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm ³	26.00 g
4052899369474	ALLSEASON SUPER / ALLSEASON ≙ H4	Bundle 10	235 mm x 94 mm x 71 mm	1.57 dm ³	342.00 g
4052899369481	ALLSEASON SUPER / ALLSEASON ≙ H4	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm³	3675.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















Product datasheet

OSRAM