

ORIGINAL LINE H4

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Application (Category and Product specific) | Halogen headlight lamp |
|---|------------------------|

General Product Information

| | |
|------------------------|-------|
| Global order reference | 64193 |
|------------------------|-------|

Electrical Data


| | |
|-----------------|-------------------------|
| Power input | 75 / 68 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 60/55 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometric Data

| | |
|-------------------------|---------------|
| Nominal luminous flux | 1650/1000 lm |
| Luminous flux tolerance | ±15 % / ±15 % |

Physical Attributes & Dimensions



| | |
|----------------|---------|
| Diameter | 16.5 mm |
| Product weight | 25.90 g |
| Length | 82.0 mm |
| Lamp base | P43t |

Lifetime Data

| | |
|-------------|----------------------------|
| Lifespan B3 | 250 / 400 hr ¹⁾ |
| Lifespan Tc | 500 / 900 hr ¹⁾ |

¹⁾ Filament 1 / Filament 2

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|----|
| ECE category | H4 |
|--------------|----|

Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Primary article identifier | 4008321856173 4052899487215 4052899411746 4006584818075 4052899411869 4050300937731 4062172395601 4050300001470 4062172119238 4008321871855 4050300300993 4008321023919 4050300212043 4062172034432 4008321508768 4062172065740 4052899475960 4050300424415 4050300925127 4008321130563 |
| Candidate list substance 1 | No declarable substances contained |
| Declaration no. in SCIP database | No declarable substances contained |

Country specific information

| Product code | METEL code | SEG number | STK number | UK Org |
|---------------|---------------|------------|------------|--------|
| 4050300001470 | OSRA64193 | 8328048 | 4739464 | - |
| 4050300925127 | OSRA64193BLI1 | 8328396 | 4730319 | - |


Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4050300001470 | ORIGINAL LINE H4 | FS ECO 1 | 47 mm x 47 mm x 71 mm | 0.16 dm ³ | 34.00 g |
| 4050300212074 | ORIGINAL LINE H4 | Shipping carton box 100 | 485 mm x 250 mm x 160 mm | 19.40 dm ³ | 3435.00 g |
| 4050300925127 | ORIGINAL LINE H4 | Blister 1 | 135 mm x 95 mm x 51 mm | 0.16 dm ³ | 37.00 g |
| 4008321142191 | ORIGINAL LINE H4 | Shipping carton box 10 | 335 mm x 115 mm x 146 mm | 5.62 dm ³ | 469.00 g |
| 4062172395601 | ORIGINAL LINE H4 | BLI ECO 1 | 95 mm x 47 mm x 135 mm | 0.16 dm ³ | 38.00 g |
| 4062172395618 | ORIGINAL LINE H4 | Shipping carton box 10 | 259 mm x 144 mm x 110 mm | 4.10 dm ³ | 448.00 g |

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File | |
|---|--|
|  | ref_pim_amsproduct360degreeimages ORIGINAL H4 64193 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM