

# ORIGINAL LINE H8

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	64212
------------------------	-------

### Electrical Data


Power input	43 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	35 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	800 lm
Luminous flux tolerance	±15 %

### Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	22.30 g
Length	67.0 mm
Lamp base	PGJ19-1

### Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	800 hr

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H8
--------------	----

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172051552   4050300602264   4062172395281   4050300602288   4052899364196   4062172130998   4052899411906   4008321168467   4008321514363   4008321872371   4062172057363   4062172189187   4050300498751   4008321770059   4050300642697   4052899262478
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300498751	OSRA64212	-	-	-


### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300498751	ORIGINAL LINE H8	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	29.00 g
4050300498775	ORIGINAL LINE H8	Shipping carton box 100	341 mm x 191 mm x 154 mm	10.03 dm <sup>3</sup>	3101.00 g
4052899262478	ORIGINAL LINE H8	Blister 1	135 mm x 95 mm x 40 mm	0.51 dm <sup>3</sup>	34.00 g
4052899262485	ORIGINAL LINE H8	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	439.00 g
4062172395281	ORIGINAL LINE H8	BLI ECO 1	95 mm x 32 mm x 135 mm	0.41 dm <sup>3</sup>	33.00 g
4062172395298	ORIGINAL LINE H8	Shipping carton box 10	194 mm x 144 mm x 110 mm	3.07 dm <sup>3</sup>	387.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# Product datasheet

## Download Data

File	
	ref_pim_amsproduct360degreeimages ORIGINAL H8 64212

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM