

# ORIGINAL LINE H8B

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	64242
------------------------	-------

### Electrical Data


Power input	43 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	35 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	800 lm
Luminous flux tolerance	±15 %

### Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	19.00 g
Length	66.8 mm
Lamp base	PGJY19-1

### Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	800 hr

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H8B
--------------	-----

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321065643   4008321055422
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321055422	OSRA64242	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321055422	ORIGINAL LINE H8B	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	25.00 g
4008321055446	ORIGINAL LINE H8B	Shipping carton box 100	341 mm x 191 mm x 154 mm	10.03 dm <sup>3</sup>	2701.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM