OSRAM

ORIGINAL LINE HB3

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

| Order reference | 9005 | |
|---|------------------------|--|
| Application (Category and Product specific) | Halogen headlight lamp | |

Electrical data


| Power input | 73 W ¹⁾ |
|-----------------|--------------------|
| Nominal voltage | 120 V |
| Nominal wattage | 6000 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| Luminous flux | 1700 lm | |
|-------------------------|---------|--|
| Luminous flux tolerance | ±12 % | |

Dimensions & weight



| Diameter | 1200 mm |
|----------------|---------|
| Product weight | 1820 g |
| Length | 816 mm |

Lifespan

| Lifespan B3 | 280 h |
|-------------|-------|
| Lifespan Tc | 550 h |

Additional product data

| Base (standard designation) | P20d |
|-----------------------------|------|
|-----------------------------|------|

Capabilities

| Technology | HAL |
|------------|-----|
|------------|-----|

Certificates & standards

| ECE category | HB3 |
|--------------|-----|
|--------------|-----|

Country specific categorizations

| Order reference 9005 |
|----------------------|
|----------------------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | | |
|---|--|--|--|
| Date of Declaration | 05-03-2024 | | |
| Primary Article Identifier | 4006584369027 4050300137193 4008321166937 4008321021014 4008321021083 4006584459513 4008321382597 4006584593293 4006584593316 4008321795298 4008321171214 4052899408562 4062172395304 4062172404662 | | |
| Candidate List Substance 1 | No declarable substances contained | | |
| Declaration No. in SCIP database | In work | | |

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300137193 | OSRA9005 | - | - | - |
| 4050300137209 | OSRA9005 | - | - | - |
| 4050300137193 | OSRA9005 | - | - | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4050300137193 | ORIGINAL LINE HB3 | Folding carton box 1 | 47 mm x 47 mm x 71 mm | 0.16 dm ³ | 18.00 g |
| 4050300137209 | ORIGINAL LINE HB3 | Bundle 10 | 235 mm x 94 mm x 71 mm | 1.57 dm ³ | 265.00 g |
| 4050300137216 | ORIGINAL LINE HB3 | Shipping carton box 100 | 485 mm x 250 mm x 160 mm | 19.40 dm³ | 2905.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



360 Degree Image ORIGINAL HB3 9005

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















