

# ULTRA LIFE R10W

Up to four times longer lifetime




### Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps



### More durability

For longer replacement cycles and additional reliability and comfort



### Wide product range

Fits for most common auxiliary lamp types



### The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

### General Product Information

Global order reference	5008ULT
------------------------	---------

### Electrical Data

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10 W
Test voltage	13.5 V
Power input tolerance	±10 %

### Photometric Data

Nominal luminous flux	125 lm
Luminous flux tolerance	±20 %

### Physical Attributes & Dimensions

Diameter	16.0 mm
Product weight	6.00 g
Length	37.5 mm
Lamp base	BA15s

### Lifetime Data

Lifespan B3	600 hr
Lifespan Tc	1200 hr

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	R10W
Approval marks – approval	E1 approval

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
---

## Product datasheet

Date of declaration	09-09-2024
Primary article identifier	4062172394918   4008321415226   4008321416568   4008321415400
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

### Country specific information


Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321415400	OSRA5008ULT	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321415226	ULTRA LIFE R10W	Blister 2	- x - x -		
4008321415233	ULTRA LIFE R10W	Shipping carton box 20	225 mm x 105 mm x 145 mm	3.43 dm <sup>3</sup>	298.00 g
4008321415400	ULTRA LIFE R10W	Unpacked 1	- x - x -		
4008321415424	ULTRA LIFE R10W	Shipping carton box 50	205 mm x 143 mm x 64 mm	1.88 dm <sup>3</sup>	428.00 g
4062172394918	ULTRA LIFE R10W	Blister 2	95 mm x 27 mm x 135 mm	0.35 dm <sup>3</sup>	23.00 g
4062172394925	ULTRA LIFE R10W	Shipping carton box 20	156 mm x 144 mm x 110 mm	2.47 dm <sup>3</sup>	282.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 ref_pim_amsproduct360degreeimages ULTRA LIFE R10W 5008ULT

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

## Product datasheet

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM