

ORIGINAL - PLASTIC MF BASE

Original spare part



The cost-effective original spare parts

Discover our ORIGINAL signal lamps for printed circuit boards. These lamps with OSRAM's reliable OEM quality feature a wide product range and can be used for instrument and switch lighting.



Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL - PLASTIC MF BASE 2351MFX6	Auxiliary lamp	2351MFX6	1.32 W	12.0 V	1 W
ORIGINAL - PLASTIC MF BASE 2352MFX6	Auxiliary lamp	2352MFX6	2.13 W	12.0 V	2 W
ORIGINAL - PLASTIC MF BASE 2452MFX6	Auxiliary lamp	2452MFX6	1.8 W	12.0 V	1 W
ORIGINAL - PLASTIC MF BASE 2473MFX6	Auxiliary lamp	2473MFX6	1.12 W	12.0 V	1 W
ORIGINAL - PLASTIC MF BASE 2721MF	Auxiliary lamp	2721MF	1.2 W	12.0 V	1 W
ORIGINAL - PLASTIC MF BASE 2721MFX	Auxiliary lamp	2721MFX	1.2 W	12.0 V	1 W
ORIGINAL - PLASTIC MF BASE 2722MF	Auxiliary lamp	2722MF	2 W	12.0 V	2 W
ORIGINAL - PLASTIC MF BASE 2722MFX	Auxiliary lamp	2722MFX	2 W	12.0 V	2 W

Product description	Test voltage	Photometric Data		Physical Attributes & Dimensions	
		Nominal luminous flux	Luminous flux tolerance	Diameter	Diameter
ORIGINAL - PLASTIC MF BASE 2351MFX6	13.5 V	7.5 lm	±20 %	5 mm	5 mm
ORIGINAL - PLASTIC MF BASE 2352MFX6	13.5 V	11.8 lm	±20 %	5 mm	5 mm
ORIGINAL - PLASTIC MF BASE 2452MFX6	13.5 V	6.5 lm	±20 %	5 mm	5 mm
ORIGINAL - PLASTIC MF BASE 2473MFX6	14.0 V	3.6 lm	±25 %	5 mm	5 mm
ORIGINAL - PLASTIC MF BASE 2721MF	13.5 V	6.4 lm	±25 %	5 mm	5 mm
ORIGINAL - PLASTIC MF BASE 2721MFX	13.5 V	6.4 lm	±25 %	5 mm	5 mm
ORIGINAL - PLASTIC MF BASE 2722MF	13.5 V	10.2 lm	±25 %	5 mm	5 mm
ORIGINAL - PLASTIC MF BASE 2722MFX	13.5 V	10.2 lm	±25 %	5 mm	5 mm

	Colors & materials	Lifetime Data		Capabilities	Certificates & standards
Product description	Base color	Lifespan B3	Lifespan Tc	Thickness of PCB	ECE category
ORIGINAL - PLASTIC MF BASE 2351MFX6	Jet black	600 hr	3000 hr	1.25 mm	-

Product family datasheet

	Colors & materials	Lifetime Data		Capabilities	Certificates & standards
Product description	Base color	Lifespan B3	Lifespan Tc	Thickness of PCB	ECE category
ORIGINAL - PLASTIC MF BASE 2352MFX6	Pale green	1500 hr	6000 hr	1.25 mm	-
ORIGINAL - PLASTIC MF BASE 2452MFX6	Beige	1700 hr	6500 hr	1.25 mm	-
ORIGINAL - PLASTIC MF BASE 2473MFX6	Pastel orange	500 hr	5000 hr	1.25 mm	-
ORIGINAL - PLASTIC MF BASE 2721MF	Jet black	500 hr	2000 hr	1.6 mm	-
ORIGINAL - PLASTIC MF BASE 2721MFX	Light blue	500 hr	2000 hr	1.25 mm	-
ORIGINAL - PLASTIC MF BASE 2722MF	Lime green	1300 hr	4000 hr	1.6 mm	-
ORIGINAL - PLASTIC MF BASE 2722MFX	Pale green	1300 hr	4000 hr	1.25 mm	-

	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - PLASTIC MF BASE 2351MFX6	4062172046916 4008321096852 4008321011756	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2352MFX6	4008321097149 4008321011039 4062172046947	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2452MFX6	4008321011800 4008321097118 4008321011831 4062172046978	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2473MFX6	4008321011220 4008321011190 4008321096821	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2721MF	4050300891255 4008321018342	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2721MFX	4008321018625 4008321297150	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2722MF	4008321057839 4008321096791	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2722MFX	4008321297181	No declarable substances contained	No declarable substances contained

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

