

Lamps with metal bases -

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

Order reference	2357A
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	28 W
Nominal voltage	120 V
Nominal wattage	29/7 W
Test voltage	12.8 / 14.0 V

Photometrical data

Luminous flux	377 lm
Luminous flux tolerance	±30 / ±30 %

Dimensions & weight



Diameter	270 mm
Product weight	900 g
Length	530 mm

Additional product data

Base (standard designation)	BAY15d
-----------------------------	--------

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Product datasheet

Approval marks – approval	-
---------------------------	---

Country specific categorizations

Order reference	2357A
-----------------	-------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4006584358472 4008321101518 4006584590810 4059089500853 4059089500778 4062172354691 4059089079823
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321101518	ORIGINAL - METAL BASE 2357A	Unpacked 1	- x - x -		
4008321101921	ORIGINAL - METAL BASE 2357A	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	130.00 g
4008321101938	ORIGINAL - METAL BASE 2357A	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	698.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

