

# Lamps with glass wedge bases WY16W

Original spare part



## The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

Order reference	921NA
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	19.4 W
Nominal voltage	12.8 V
Nominal wattage	16.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	190 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	16.0 mm
Product weight	2.20 g
Length	38.1 mm

Lifespan

Lifespan B3	400 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	WY16W
--------------	-------

Country specific categorizations

Order reference	921NA
-----------------	-------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899230460   4052899581500   4062172080286   4062172080262
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899230460	ORIGINAL - WEDGE BASE WY16W	Unpacked 1	- x - x -		2.00 g
4052899230477	ORIGINAL - WEDGE BASE WY16W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm <sup>3</sup>	35.00 g
4052899230484	ORIGINAL - WEDGE BASE WY16W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	238.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



