

# TRUCKSTAR PRO H7

Brightest OSRAM truck halogen light



**Up to 2.5 times longer lifetime**

Reduced downtime and fleet costs compared to standard lamps



**Up to 120% more brightness**

More light allows to see farther and therefore react sooner compared to the minimum legal standard



**Very high vibration resistance**

Suitable for heavy duty applications



**The most powerful halogen and signal truck lamps from OSRAM**

Discover TRUCKSTAR PRO - the brightest halogen and signal truck lamps from OSRAM with excellent value for money. With extremely long life, up to 120% more light than standard lamps and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and up to 2.5 times longer lifetime compared to standard lamps, the lamps improve your safety while driving on the road.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	64215TSP
------------------------	----------

### Electrical Data


Power input	75 W <sup>1)</sup>
Nominal voltage	24 V
Nominal wattage	70 W
Test voltage	28.0 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	1750 lm
Luminous flux tolerance	±10 %

### Physical Attributes & Dimensions



Lamp base	PX26d
Length	59.0 mm
Diameter	12.0 mm
Diameter	12.0 mm
Product weight	12.50 g

### Lifetime Data

Lifespan B3	500 hr
Lifespan Tc	1000 hr

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H7
--------------	----

### Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321855978   4052899476042   4008321785091   4062172150453   4052899413818   4052899413917   4008321855930   4008321855954   4062172150521
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172150521	TRUCKSTAR PRO H7	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm <sup>3</sup>	16.00 g
4062172150545	TRUCKSTAR PRO H7	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm <sup>3</sup>	1762.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions
 ref_pim_amsproduct360degreeimages TRUCKSTAR PRO H7 64215TSP

#### Legal advice

Light output compared to the minimum ECE R112 requirements

#### Application advice

For more detailed application information and graphics please see product datasheet.

## Product datasheet

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM