

TRUCKSTAR PRO PY21W

Brightest OSRAM truck light



Excellent brightness

More light allows to see farther and therefore react sooner



More than double the service life

Reduced downtime and fleet costs compared to standard lamps



Very high vibration resistance

Suitable for heavy duty applications



The most powerful halogen truck light from OSRAM

Discover TRUCKSTAR PRO signal lamps - the brightest truck light from OSRAM with excellent value for money. With up to 100% more light than standard lamps, extremely long life and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and more than double the service life compared to standard lamps, the lamps improve your safety while driving on the road.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	7510TSP
------------------------	---------


Electrical Data

Power input	28 W
Nominal voltage	24.0 V
Nominal wattage	21 W
Power input tolerance	±6 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	250 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BAU15s
Length	52.5 mm
Diameter	25.0 mm
Product weight	8.86 g

Lifetime Data

Lifespan B3	250 hr
Lifespan Tc	500 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	PY21W
--------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	21-10-2024
Primary article identifier	4052899341333 4062172121217 4062172121095 4062172121231 4062172158428 4008321856944
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM