

ORIGINAL - METAL BASE

Original spare part



The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.



Product family datasheet

Technical data

Product description	Electrical Data					Photometric Data
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux
ORIGINAL - METAL BASE 3797	3 W	24 V	2 W	±15 %	28.0 V	17.5 lm
ORIGINAL - METAL BASE H21W	28 W	24 V	21 W	±5 %	28.0 V	600 lm
ORIGINAL - METAL BASE P21/5W	28 / 10 W	24 V	21/5 W	±6 / ±10 %	28.0 V	440/40 lm
ORIGINAL - METAL BASE R10W	12.5 W	24 V	10 W	±10 %	28.0 V	125 lm
ORIGINAL - METAL BASE P21W	28 W	24 V	21 W	±6 %	28.0 V	460 lm
ORIGINAL - METAL BASE R5W	7 W	24 V	5 W	±10 %	28.0 V	50 lm
ORIGINAL - METAL BASE R5W	7 W	24 V	5 W	±10 %	28.0 V	50 lm
ORIGINAL - METAL BASE T4W	5 W	24 V	4 W	±10 %	28.0 V	35 lm
ORIGINAL - METAL BASE 7529	15 W	24 V	15 W	±10 %	28.0 V	210 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions		
		Lamp base	Length	Diameter
ORIGINAL - METAL BASE 3797	±30 %	BA9s	23.9 mm	9 mm
ORIGINAL - METAL BASE H21W	±15 %	BAY9s	38.9 mm	9 mm
ORIGINAL - METAL BASE P21/5W	±15 / ±20 %	BAY15d	52.5 mm	27.0 mm
ORIGINAL - METAL BASE R10W	±20 %	BA15s	36.0 mm	16.0 mm
ORIGINAL - METAL BASE P21W	±15 %	BA15s	49.5 mm	26.5 mm
ORIGINAL - METAL BASE R5W	±25 %	BA15d	37.5 mm	16.0 mm
ORIGINAL - METAL BASE R5W	±20 %	BA15s	37.5 mm	16.0 mm
ORIGINAL - METAL BASE T4W	±20 %	BA9s	27.4 mm	8.8 mm
ORIGINAL - METAL BASE 7529	±25 %	BA15s	46.5 mm	25.0 mm

Product description	Diameter	Lifetime Data		Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Lifespan B3	Lifespan Tc	ECE category	Primary article identifier
ORIGINAL - METAL BASE 3797	9 mm	1000 hr	2000 hr	-	4050300891668
ORIGINAL - METAL BASE H21W	9 mm	150 hr	400 hr	H21W	4050300883366 4062172262361 4062172262392 4008321094988 4008321769640

Product family datasheet

		Lifetime Data		Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Diameter	Lifespan B3	Lifespan Tc	ECE category	Primary article identifier
ORIGINAL - METAL BASE P21/5W	27.0 mm	65 / 600 hr	600 / 1600 hr	P21/5W	4050300925943 4052899402232 4052899423671 4050300838038 4062172375047 4062172121354 4062172375078
ORIGINAL - METAL BASE R10W	16.0 mm	400 hr	800 hr	R10W	4050300992907 4050300926049 4050300831459 4008321773470 4062172375122
ORIGINAL - METAL BASE P21W	26.5 mm	200 hr	400 hr	P21W	4062172374996 4062172285391 4062172408585 4052899327696 4050300925929 4050300838090 4062172072380 4062172302999 4062172375023 4062172285414 4062172226561 4008321773722 4008321618801 4062172408608 4052899583740 4052899178427
ORIGINAL - METAL BASE R5W	16.0 mm	80 hr	250 hr	R5W	4008321095336
ORIGINAL - METAL BASE R5W	16.0 mm	500 hr	1000 hr	R5W	4052899418882 4050300925967 4050300991405 4050300838335
ORIGINAL - METAL BASE T4W	8.8 mm	550 hr	1000 hr	T4W	4050300880273 4050300838366 4050300926001
ORIGINAL - METAL BASE 7529	25.0 mm	100 hr	300 hr	-	4008321671851 4050300891774

Product description	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - METAL BASE 3797	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE H21W	No declarable substances contained	No declarable substances contained

Product family datasheet

Product description	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - METAL BASE P21/5W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE R10W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE P21W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE R5W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE R5W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE T4W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE 7529	No declarable substances contained	No declarable substances contained

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

