

ORIGINAL LINE S1

Original spare part



The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information


Global order reference	64326
------------------------	-------

Electrical Data

Power input	40 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	25/25 W
Test voltage	13.2 V

¹⁾ Maximum

Physical Attributes & Dimensions



Lamp base	BA20d
Length	71.0 mm
Diameter	14.7 mm
Product weight	13.30 g

Lifetime Data

Lifespan B3	100 / 200 hr
Lifespan Tc	200 / 400 hr

Capabilities

Technology	HAL
------------	-----

Certificates & standards

Product datasheet

ECE category	S1
--------------	----

Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	22-09-2024
Primary article identifier	4050300942650 4052899157774
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899157774	ORIGINAL LINE S1	Folding carton box 1	30 mm x 30 mm x 76 mm	0.07 dm ³	16.00 g
4052899157798	ORIGINAL LINE S1	Shipping carton box 100	400 mm x 160 mm x 135 mm	8.64 dm ³	1796.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 ref_pim_amsproduct360degreeimages ORIGINAL S1 64326

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM