

ORIGINAL LINE H4

Original spare part



The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Order reference	64193MC
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	75 / 68 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60/55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1650/1000 lm
Luminous flux tolerance	±12 / ±15 %

Dimensions & weight



Length	82.0 mm
Product weight	25.90 g

Lifespan

Lifespan B3	250 / 400 h ¹⁾
Lifespan Tc	500 / 900 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H4
--------------	----

Country specific categorizations

Order reference	64193MC
-----------------	---------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899451353	ORIGINAL LINE H4	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm ³	34.50 g
4052899451360	ORIGINAL LINE H4	Bundle 10	170 mm x 69 mm x 58 mm	0.68 dm ³	125.00 g
4052899451377	ORIGINAL LINE H4	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm ³	3673.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM