

ORIGINAL LINE HS1

Original spare part



The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Order reference	64185
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	36.8 / 36.8 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	35/35 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Color temperature	3200 K
Luminous flux	820/520 lm
Luminous flux tolerance	±15 / ±15 %

Dimensions & weight



Length	85.0 mm
Diameter	16.5 mm
Product weight	23.00 g

Lifespan

Lifespan B3	75 / 150 h ¹⁾
Lifespan Tc	150 / 300 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Product datasheet

Base (standard designation)	PX43t
-----------------------------	-------

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	HS1
--------------	-----

Country specific categorizations


Order reference	64185
-----------------	-------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899253513	ORIGINAL LINE HS1	Blister 1	135 mm x 95 mm x 51 mm	0.65 dm ³	33.89 g
4052899253520	ORIGINAL LINE HS1	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm ³	440.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 360 Degree Image ORIGINAL MOTORCYCLE HS1 64185

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM