

ULTRA LIFE

Up to four times longer lifetime



Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps



More durability

For longer replacement cycles and additional reliability and comfort



Wide product range

Fits for most common auxiliary lamp types



The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

Product family datasheet

Technical data

Product description	Electrical Data					Photometric Data
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux
ULTRA LIFE C5W	5 W	12 V	5 W	±10 %	13.5 V	45 lm
ULTRA LIFE H6W	7 W	12 V	6 W	±5 %	13.5 V	125 lm
ULTRA LIFE P21/5W	25 / 6 W	12 V	21/5 W	±6 / ±10 %	13.5 V	440/35 lm
ULTRA LIFE P21W	25 W	12 V	21 W	±6 %	13.5 V	460 lm
ULTRA LIFE PY21W ¹⁾	25 W	12 V	21 W	±6 %	13.5 V	280 lm
ULTRA LIFE R10W	10 W	12 V	10 W	±10 %	13.5 V	125 lm
ULTRA LIFE R5W	5 W	12 V	5 W	±10 %	13.5 V	50 lm
ULTRA LIFE W5W	5 W	12 V	5 W	±10 %	13.5 V	50 lm

Product description	Physical Attributes & Dimensions			
	Lamp base	Length	Diameter	Diameter
ULTRA LIFE C5W	SV8.5-8	36.0 mm	11.0 mm	11.0 mm
ULTRA LIFE H6W	BAX9s	33.0 mm	9 mm	9 mm
ULTRA LIFE P21/5W	BAY15d	52.5 mm	25.0 mm	25.0 mm
ULTRA LIFE P21W	BA15s	52.5 mm	25.0 mm	25.0 mm
ULTRA LIFE PY21W ¹⁾	BAU15s	52.5 mm	25.0 mm	25.0 mm
ULTRA LIFE R10W	BA15s	37.5 mm	16.0 mm	16.0 mm
ULTRA LIFE R5W	BA15s	37.5 mm	16.0 mm	16.0 mm
ULTRA LIFE W5W	W2.1x9.5d	26.8 mm	10.0 mm	10.0 mm

Product description	Lifetime Data		Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Lifespan B3	Lifespan Tc	ECE category	Primary article identifier	Candidate list substance 1
ULTRA LIFE C5W	1500 hr	4000 hr	C5W	4008321415240 4062172394819 4008321415264 4008321413086 4052899419629	No declarable substances contained
ULTRA LIFE H6W	600 hr	1000 hr	H6W	4052899494039 4052899419681 4008321415325 4008321413178 4062172394796	No declarable substances contained
ULTRA LIFE P21/5W	300 / 3000 hr ²⁾	800 / 6000 hr ²⁾	P21/5W	4008321415288 4062172394895 4008321413116 4008321415301	No declarable substances contained

Product family datasheet

	Lifetime Data		Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Product description	Lifespan B3	Lifespan Tc	ECE category	Primary article identifier	Candidate list substance 1
ULTRA LIFE P21W	500 hr	1000 hr	P21W	4008321415141 4062172394833 4008321415349	No declarable substances contained
ULTRA LIFE PY21W ¹⁾	500 hr	1000 hr	PY21W	4008321415165 4062172394871 4008321413147	No declarable substances contained
ULTRA LIFE R10W	600 hr	1200 hr	R10W	4062172394918 4008321415226 4008321416568 4008321415400	No declarable substances contained
ULTRA LIFE R5W	600 hr	1200 hr	R5W	4008321415370 4008321416537 4008321415202 4062172394772	No declarable substances contained
ULTRA LIFE W5W	700 hr	1500 hr	W5W	4062172394734 4008321413024 4008321415189	No declarable substances contained

Product description	Declaration no. in SCIP database
ULTRA LIFE C5W	No declarable substances contained
ULTRA LIFE H6W	No declarable substances contained
ULTRA LIFE P21/5W	No declarable substances contained
ULTRA LIFE P21W	No declarable substances contained
ULTRA LIFE PY21W ¹⁾	No declarable substances contained
ULTRA LIFE R10W	No declarable substances contained
ULTRA LIFE R5W	No declarable substances contained
ULTRA LIFE W5W	No declarable substances contained

¹⁾ Amber lamp for clear indicators

²⁾ Filament 1

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages ULTRA LIFE C5W 6418ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE P21W 7506ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE PY21W 7507ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE R10W 5008ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE R5W 5007ULT
	ref_pim_amsproduct360degreeimages ULTRA LIFE W5W 2825ULT

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

