

ORIGINAL - PLASTIC MF BASE

Original spare part



The cost-effective original spare parts for motorcycles

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for motorcycles. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.



Product family datasheet

Technical data

Product description	Electrical Data					Photometric Data
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux
ORIGINAL - PLASTIC MF BASE 2351MFX6	1.32 W	12 V	1 W	±10 %	13.5 V	7.5 lm
ORIGINAL - PLASTIC MF BASE 2352MFX6	2.13 W	12 V	2 W	±10 %	13.5 V	11.8 lm
ORIGINAL - PLASTIC MF BASE 2452MFX6	1.8 W	12 V	1 W	±10 %	13.5 V	6.5 lm
ORIGINAL - PLASTIC MF BASE 2473MFX6	1.12 W	12 V	1 W	±10 %	14.0 V	3.6 lm
ORIGINAL - PLASTIC MF BASE 2721MF	1.2 W	12 V	1 W	±10 %	13.5 V	6.4 lm
ORIGINAL - PLASTIC MF BASE 2721MFX	1.2 W	12 V	1 W	±10 %	13.5 V	6.4 lm
ORIGINAL - PLASTIC MF BASE 2722MF	2 W	12 V	2 W	±10 %	13.5 V	10.2 lm
ORIGINAL - PLASTIC MF BASE 2722MFX	2 W	12 V	2 W	±10 %	13.5 V	10.2 lm

Product description	Physical Attributes & Dimensions			Colors & materials
	Lamp base	Length	Diameter	Base color
ORIGINAL - PLASTIC MF BASE 2351MFX6	BX8.4d-12.5	17.5 mm	5 mm	Jet black
ORIGINAL - PLASTIC MF BASE 2352MFX6	BX8.4d-12.5	17.5 mm	5 mm	Pale green
ORIGINAL - PLASTIC MF BASE 2452MFX6	BX8.4d-12.5	17.5 mm	5 mm	Beige
ORIGINAL - PLASTIC MF BASE 2473MFX6	BX8.4d-12.5	17.5 mm	5 mm	Pastel orange
ORIGINAL - PLASTIC MF BASE 2721MF	B8.5d	23.5 mm	5 mm	Jet black
ORIGINAL - PLASTIC MF BASE 2721MFX	BX8.5d	23.5 mm	5 mm	Light blue
ORIGINAL - PLASTIC MF BASE 2722MF	B8.5d	21.6 mm	5 mm	Lime green
ORIGINAL - PLASTIC MF BASE 2722MFX	BX8.5d	23.5 mm	5 mm	Pale green

Product family datasheet

	Lifetime Data		Capabilities	Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Lifespan B3	Lifespan Tc	Thickness of PCB	ECE category	Primary article identifier
ORIGINAL - PLASTIC MF BASE 2351MFX6	600 hr	3000 hr	1.25 mm	-	4062172046916 4008321096852 4008321011756
ORIGINAL - PLASTIC MF BASE 2352MFX6	1500 hr	6000 hr	1.25 mm	-	4008321097149 4008321011039 4062172046947
ORIGINAL - PLASTIC MF BASE 2452MFX6	1700 hr	6500 hr	1.25 mm	-	4008321011800 4008321097118 4008321011831 4062172046978
ORIGINAL - PLASTIC MF BASE 2473MFX6	500 hr	5000 hr	1.25 mm	-	4008321011220 4008321011190 4008321096821
ORIGINAL - PLASTIC MF BASE 2721MF	500 hr	2000 hr	1.6 mm	-	4050300891255 4008321018342
ORIGINAL - PLASTIC MF BASE 2721MFX	500 hr	2000 hr	1.25 mm	-	4008321018625 4008321297150
ORIGINAL - PLASTIC MF BASE 2722MF	1300 hr	4000 hr	1.6 mm	-	4008321057839 4008321096791
ORIGINAL - PLASTIC MF BASE 2722MFX	1300 hr	4000 hr	1.25 mm	-	4008321297181

Product description	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - PLASTIC MF BASE 2351MFX6	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2352MFX6	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2452MFX6	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2473MFX6	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2721MF	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2721MFX	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2722MF	No declarable substances contained	No declarable substances contained
ORIGINAL - PLASTIC MF BASE 2722MFX	No declarable substances contained	No declarable substances contained

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

