OSRAM

ORIGINAL - METAL BASE -

Original spare part





The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Technical data

Product information

Order reference	3796	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	2 W
Nominal voltage	120 V
Nominal wattage	200 W
Power input tolerance	±8 %
Test voltage	13.5 V

Photometrical data

Luminous flux	125 lm
Luminous flux tolerance	±25 %

Dimensions & weight



Length	239 mm
Diameter	900 mm
Product weight	184 g

Lifespan

Lifespan B3	300 h
Lifespan Tc	750 h

Additional product data

Base (standard designation)	BA9s

Capabilities

Technology	AUX
------------	-----

Certificates & standards

Country specific categorizations

Order reference	3796

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	05-03-2024		
Primary Article Identifier	4050300891309 4050300887470		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	No declarable substances contained		

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300891309	OSRA3796	-	-	-
4050300891316	OSRA3796	-	-	-
4050300891309	OSRA3796	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891309	ORIGINAL - METAL BASE 3796	Unpacked 1	9 mm x 9 mm x 24 mm	0.00 dm ³	2.00 g
4050300891316	ORIGINAL - METAL BASE 3796	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	29.40 g
4008321095718	ORIGINAL - METAL BASE 3796	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm³	176.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













