

DALIECO LS/PD LI KIT

DALleco LS/PD LI | Sensors for light management systems



Product family features

- Light and presence sensor
- Presence detection via passive IR element
- Function indicator with two-color LED
- Integrated infrared remote control receiver
- Integrated pushbutton for automatic startup/deactivation of infrared receiver
- Halogen free polycarbonate plastic housing

Product family benefits

- VDE/VDE EMC certified system
- $V(\lambda)$ corrected light sensor element
- Individual activation/deactivation of light and presence sensor via remote control
- Presence detection angle adjustable between 40...90° via integrated shutters


Areas of application

- Office luminaires
- Ceiling installation via LS/PD CI KIT possible

Product datasheet

Technical data

Dimensions & weight



Length	48.0 mm
Width	15.0 mm
Height	17.0 mm
Product weight	33.00 g

Colors & materials

Product color	Grey
---------------	------

Temperatures & operating conditions

Ambient temperature range	-20...+50 °C
---------------------------	--------------

Capabilities

Maximum installation height	5 m
Detection area	7 m²
Detection angle	80 ° 1)
Operating range, light sensor	20...800 lx 2)
Type of installation	Ceiling integration/Luminaire integration

1) Approximately
2) Approximately, measured at the sensor

Certificates & standards

Type of protection	IP20
--------------------	------

Logistical data

Commodity code	903180800000
----------------	--------------

Product datasheet

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	30-08-2022
Primary Article Identifier	4008321988652
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Download Data

File	
	Product Datasheet 341819_DALIeco LSPPD LI_datasheet (GB)
	Brochures DALIeco: Multi-functional light management system (EN)
	Certificates DALIeco VDE EMC 40037161 2020 04
	Declarations of conformity 341817_CE_declaration_DALIecosystem
	Declarations of conformity DALIECO SENSOR CE 2874588 12 160823
	Operating instructions 341218_DALIeco LSPD LI
	CAD data 3-dim 341820_CAD Data_DALIeco LSPD LI

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321988652	DALIECO LS/PD LI KIT	Shipping carton box 25	223 mm x 197 mm x 179 mm	7.86 dm ³	1706.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Accessories Optional

Product description	Accessory name	Accessory code
DALIECO LS/PD LI KIT		▶ 4062172386326

Product datasheet

DALIECO LS/PD LI KIT		▶ 4062172386357
DALIECO LS/PD LI KIT		▶ 4062172386388
DALIECO LS/PD LI KIT		▶ 4062172386418
DALIECO LS/PD LI KIT	LS/PD CI KIT	▶ 4052899920293
DALIECO LS/PD LI KIT	LS/PD AP KIT	▶ 4052899173385

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.