


## NIGHT RACER 110

Halogen headlight lamps for motorcycles



### Areas of application

- Motorcycle headlight



### Product family benefits

- More light allows to see farther and therefore react sooner
- Better visibility
- Modern look
- Tested for resilience with speed and changing road surfaces
- Eye-catching design
- Patented blue ring coating for less reflected glare
- More efficient light production thanks to optimized inert filling gas formula

### Product family features



- Up to 110% more brightness compared to the minimum legal standard
- Up to 40 m longer beam compared to standard lamps
- Up to 20% whiter light compared to the minimum legal standard
- Vibration-resistant technology
- Partial blue coating and silver cap

## Product family datasheet



---

Base



---

Base

## Product family datasheet

### Technical data

Product description	Electrical data				Photometrical data	Dimensions & weight		Lifespan
	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux	Length	Diameter	Lifespan B3
64193NR1	75 / 68 W <sup>2)</sup>	12.0 V	60/55 W	13.2 V	1650/1000 lm	82.0 mm	13.0 mm	80 / 260 h <sup>3)</sup>
64210NR1	58 W <sup>2)</sup>	12.0 V	55.00 W	13.2 V	1500 lm	59.0 mm	12.0 mm	150 h
64212NR1 <sup>1)</sup>	43 W <sup>2)</sup>	12.0 V	35.00 W	13.2 V	800 lm	67.0 mm	9 mm	400 h
64211NR1	62 W <sup>2)</sup>	12.0 V	55.00 W	13.2 V	1350 lm	67.0 mm	12.0 mm	350 h

Product description	Lifespan Tc	Additional product data	Certificates & standards	Country specific categorizations
		Base (standard designation)	ECE category	Order reference
64193NR1	160 / 400 h <sup>3)</sup>	P43t	H4	64193NR1-01B 60
64210NR1	250 h	PX26d	H7	64210NR1-01B 55
64212NR1 <sup>1)</sup>	800 h	PGJ19-1	H8	64212NR1-01B 35
64211NR1	580 h	PGJ19-2	H11	64211NR1-01B 55

<sup>1)</sup> Lamp complies with ECE R 37 and SAE (DOT) regulations

<sup>2)</sup> Maximum

<sup>3)</sup> Filament 1

## Product family datasheet

---

### Application advice

For more detailed application information and graphics please see product datasheet.

---

### Legal advice

Light output compared to the minimum ECE 112 requirements.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.