

LEDinspect PROFESSIONAL 150

LED inspection lights for privat use



150 lm + 70 lm

Main light with 150 lumen and torch light with 70 lumen



Equipped with 6+1 high-quality LEDs

More light output



Rechargeable 3.7 V 2,000 mAh Li-Polymer battery

Cordless professional lighting tool with docking station



Professional inspection light with docking station

The LEDinspect PROFESSIONAL 150 is a rechargeable LED inspection light with compact and high quality design. The luminaire offers two light settings – main light with up to 150 lumen and torch light with up to 70 lumen – and has an easy to grip and dirt resistant surface. Thanks to magnet and clip, you can work hands-free while maintaining a vehicle. OSRAM provides a 2 year guarantee for this product.

Product family datasheet

Technical data

Product description	Product information		Electrical data		Photometrical data	
	Application (Category and Product specific)	Order reference	Nominal wattage	Nominal voltage	Light color LED	Color temperature
LEDinspect PROFESSIONAL 150	LED inspection lights for personal use	LEDIL207	5.00 W	3.7 V	White	6000 K

Product description	Luminous flux	Dimensions & weight				Colors & materials
		Length	Width	Height	Product weight	Base color
LEDinspect PROFESSIONAL 150	150 lm	235.0 mm	86.0 mm	80.0 mm	318.00 g	Black

Product description	Lifespan	Additional product data		
	Guarantee	Number of included batteries	Scope of battery	Type of Battery
LEDinspect PROFESSIONAL 150	3 years	n.a.	Yes	Rechargeable




Product description	Capabilities	Logistical data
	Technology	PCHL Watt hour per battery [MPRD]
LEDinspect PROFESSIONAL 150	LED	7.40

Product family datasheet

Equipment / Accessories

- Charging cable included
-

Download Data

File	
	User instruction LEDinspect PROFESSIONAL 150 LEDIL207 User manual
	Movie application Image Film LEDinspect (EN)
	Movie application Image Film LEDinspect Family (EN)

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.