

---

## LEDambient CONNECT Hybrid HB3

LEDambient HYBRID CONNECT | App controlled LED styling lights



---

### Product family features

- Bluetooth enabled discreet system that adds color to your fog lights
- App-controlled color mode
- Shines in various colors (RGB) and pulses to the beat of music
- OSRAM quality
- High-performance halogen lamps with up to 4,200 K and 20% more brightness

## Product datasheet

---


### Technical data

#### Electrical data

Nominal voltage	12.0 V
Nominal wattage	12.00 W

#### Dimensions & weight

---



Product weight	190.00 g
----------------	----------

#### Country specific categorizations

Order reference	LEDEXT102-03
-----------------	--------------

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899490581	LEDambient CONNECT Hybrid HB3	Folding carton box 1	173 mm x 65 mm x 180 mm	2.02 dm <sup>3</sup>	306.00 g
4052899490598	LEDambient CONNECT Hybrid HB3	Shipping carton box 4	295 mm x 195 mm x 207 mm	11.91 dm <sup>3</sup>	1488.90 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Legal advice

Detailed guarantee terms can be found at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee).

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country. Do not use this product while driving.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.