OSRAM

LEDriving BASIC R5W



Product family datasheet

Technical data

| | Product information | | General Product Information | | Electrical Data | |
|-----------------------|--|---|--------------------------------|---|--|----------------------------------|
| Product description | Application (Category and Product specific) | Product type (off- road vs. on-road) | Global referen | | Power input | Nominal voltage |
| LEDriving BASIC ≜ R5W | Mainly used for signal/ indicator applications | Off-road ≙ R5W | 5107CW Photometric Data | | 0.96 W 12.0 V | |
| | | | | | | Physical Attributes & Dimensions |
| Product description | Nominal wattage | Test voltage | Nominal luminous flux | | Luminous flux tolerance | Diameter |
| LEDriving BASIC | 0 W | 13.5 V | 55 lm | | ±20 % | 19.0 mm |
| | | Lifetime Data Capabilities | | Capabilities | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | |
| Product description | Diameter | Lifespan B3 | Lifespan Tc | Technology | Primary arti | icle |
| LEDriving BASIC ≜ R5W | 19.0 mm | 2000 hr | 2000 hr | LED 4052899463332 4052899414556 4052899463127 | | |

| Product description | Candidate list substance 1 | CAS No. of substance 1 | Safe use instruction | Declaration no. in SCIP database |
|-----------------------|----------------------------|---------------------------|--|--|
| LEDriving BASIC ≜ R5W | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. | 12c61241-8e84- 49d2-aad6- 61ee9185fc4c a74edd59-fe84-466f- 9e9c-d76036657cbc 4deab8c0-c089- 4d6a-90f4- 3738f5af799e e8c7bd92-d6cb-4cf2- 9e8f-8360bae74918 eb08c6c5-5573- 4254-af17- 5f6a4f492b5f |

4052899414532

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Legal advice

Not ECE conformOnly approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

