OSRAM

NIGHT BREAKER LASER H8

Halogen light with excellent brightness





Up to 150% more brightness More light allows to see farther and therefore react sooner compared to the minimum legal standard



Up to 150 m long beam For better visibility



Up to 20% whiter light More modern look compared to the minimum legal standard



Strong halogen light for high demands

Thanks to innovative laser ablation technology, NIGHT BREAKER LASER halogen headlight lamps shine up to 150% brighter compared to the minimum legal standard. The highly engineered filament ensures an extra light boost. Consequently, the lamps provide an up to 150m long beam and up to 20% whiter light compared to the minimum legal standard. More light and improved visibility can help drivers identify and react to traffic hazards more quickly. Last but not least: OSRAM NIGHT BREAKER LASER impresses with its unique design (laser-engraved product name) and complete portfolio (H1, H3, H4, H7, H8, H11, HB3, HB4).

Technical data

Product information

Order reference	64212NL
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	43 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	35.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	800 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Diameter	12.0 mm
Product weight	24.00 g
Length	67.0 mm

Lifespan

Lifespan B3	250 h
Lifespan Tc	400 h

Additional product data

Base (standard designation)	PGJ19-1

Capabilities

Technology	HAL	
Certificates & standards		
ECE category	Н8	
Country specific categorizations		
Order reference	64212NL	

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	06-03-2024
Primary Article Identifier	4052899991958 4052899579200 4052899998827 4052899998919 4062172114370 4052899992016 4062172387774
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899998827	NIGHT BREAKER LASER H8	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm³	30.00 g
4052899998834	NIGHT BREAKER LASER H8	Bundle 10	185 mm x 66 mm x 71 mm	0.87 dm³	301.00 g
4052899998841	NIGHT BREAKER LASER H8	Shipping carton box 100	341 mm x 191 mm x 154 mm	10.03 dm³	3201.00 g
4062172114370	NIGHT BREAKER LASER H8	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm³	140.00 g
4062172114387	NIGHT BREAKER LASER H8	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm³	785.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
360 Degree Image NIGHT BREAKER LASER next gen H8 64212NL

Legal advice

Light output compared to the minimum ECE R112/R37 requirements

H4/H7/H8/H11/HB3/HB4

承承

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











1.000 2. ⊂∎ ⇔[



