# NIGHT BREAKER LED SMART H7

## NIGHT BREAKER LED SMART H7





The NIGHT BREAKER LED family - OSRAM's first streetlegal<sup>1)</sup> LED retrofit lamps



Up to 330% more brightness<sup>2)</sup> & 6000K See and be seen with

OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Up to 6 times longer lifetime<sup>3)</sup> Vibration resistant, environmentally friendly, and

cost-efficient



5 Year OSRAM Guarantee<sup>4)</sup>

OSRAM

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers

Exceptionally bright, innovatively compact, widely applicable, broadly compatible, particularly durable and, of course, street-legal<sup>1)</sup> That's the new NIGHT BREAKER LED SMART from OSRAM.

Experience the next milestone from OSRAM and discover completely new terrain in the world of street-legal<sup>1)</sup> LED retrofit lamps with the NIGHT BREAKER LED SMART from OSRAM. The new highlight from OSRAM for automotive and vehicle enthusiasts and of course for everyone else. This new highlight from OSRAM raises vision & visibility, durability & compatibility, reliability & safety to the next level. OSRAM's street-legal<sup>1)</sup> LED lamps set new standards in terms of innovation, precision, versatility and functionality.



They lead the way in terms of brightness, lifetime, vehicle compatibility, design and much more.

With the street-legal<sup>1)</sup> NIGHT BREAKER LED SMART, its innovative compact design, sophisticated construction and exceptional brightness, it is now possible to switch from traditional halogen lamps to advanced OSRAM LED technology in even more vehicles<sup>5)</sup>.

With the street-legal<sup>1)</sup> NIGHT BREAKER LED SMART you can now upgrade the function of your high- and low beam lights of your vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 330% more brightness<sup>2</sup>), while the glare of other road users falls below the permissible maximum values by up to  $50\%^{2)}$ . In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 60% less energy and convince thanks to the LED technology and the specially developed vibration-resistant design, with up to 6 times longer life time<sup>3)</sup>. You can now replace your conventional vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trendsetting brightness with road approval<sup>1)</sup> Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps<sup>2)</sup>

### Technical data

\_\_\_\_

|                            | Product information   | tion      |   |                           |                      |   |      |               |  |                |
|----------------------------|---|-----------|---|---------------------------|----------------------|---|------|---------------|--|----------------|
| Product description        | Product legal advice<br>1   |           | Product legal advice<br>2   |                           | ce                   | Product legal advice<br>3   |      |               | Product legal advice<br>4  |                |
| NIGHT BREAKER SMART H7 LED | 1) Approved LED<br>light source - only<br>applies to the<br>respective countries<br>in which there is<br>approval or to which<br>an equivalent<br>approval applies and<br>the vehicle models<br>and light functions<br>currently listed in the<br>compatibility list. For<br>more details see<br>www.osram.com/nb-<br>led |           | 2) In comparison to<br>the minimum<br>requirements of ECE<br>R112, while the glare<br>is below the<br>maximum<br>permissible values by<br>up to 50% |                           | CE<br>are            | 3) In comparison to<br>traditional Halogen<br>lamps                                 |      |               | 4) For precise<br>conditions please<br>refer to:<br>www.osram.com/am-<br>guarantee |                |
|                            |   |           | General Pr<br>Informatio  |                           |                      | Electrical  | Data |               |  |                |
| Product description        | Application (Category<br>and Product specific)  |           | Global order<br>reference   |                           |                      | Power Test<br>input voltage<br>toleranc<br>e  |      | Nominal v     | oltage   |                |
| NIGHT BREAKER SMART H7 LED | High and low beam   |           | 64210DWNBSM-2HB   |                           | HB                   | ±10 % 13.2 V  |      |               | 12 V   |                |
|                            |   |           |   | Photon                    | netric               | Data  |      |               |  |                |
| Product description        | Nominal wattage   |           | Power<br>input  | Lumino<br>flux<br>toleran |                      | <b>,</b>  |      | Nomiı<br>flux | minal luminous<br>x  |                |
| NIGHT BREAKER SMART H7 LED | LED 16 W  |           | 16.0 W  | ±10 %                     | 0 % Cool white 15    |   | 1550 | 50 lm         |  |                |
|                            |   |           |   | Physical Attributes & D   |                      | imensions   |      |               | Lifetime Data  |                |
| Product description        | Color temperature   |           | Length  |                           |                      | Product weight  |      |               | Lifespan<br>Tc   | Lifespan<br>B3 |
| NIGHT BREAKER SMART H7 LED | 6000 K  |           | 71.0 mm   |                           |                      | 52.00 g   |      |               | 3000 hr  | 1500 hr        |
|                            | Capabilities Certific<br>standar  |           | ds Informa  |                           | format               | nmental & Regulatory Inf<br>nation according Art. 33 of<br>ation (EC) 1907/2006 (RE |      |               | fEU  |                |
| Product description        | Technology 2  | Standards |   |                           | Primary a identifier |   |      |               | ate list<br>nce 1  |                |
| NIGHT BREAKER SMART H7 LED | LED   | ABG       |   | 40                        | 4062172408332        |   | Lea  |               |  |                |

\_\_\_\_

| Product description        | CAS No. of substance<br>1 | Safe use instruction                                   | Declaration no. in<br>SCIP database |
|----------------------------|---------------------------|--|-------------------------------------|
| NIGHT BREAKER SMART H7 LED | 7439-92-1                 | The identification of the Candidate List               | aab2502f-7d7b-<br>4eb2-90d9-        |
|                            |                           | substance is<br>sufficient to allow<br>safe use of the | bdd3ddefdb24                        |
|                            |                           | article.   |                                     |

#### Download Data

|   | File   |
|---|--|
| * | User instruction<br>GPRS_Safety symbols instructions |

#### Safety advice

Application advice:For more detailed application information and graphics please see product datasheet and user manual.

#### Legal advice

1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led

2)Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%

3) In comparison to traditional Halogen lamps

4) For precise conditions please refer to: www.osram.com/am-guarantee

5) In comparison to the previous versions of NIGHT BREAKER LEDs

#### \_

Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

