

## POWER SUPPLY PS 30

Power Supply PS 30 | Power supplies



### Product family features

- Output voltage: 24 V DC
- Output current: 1.3 A

### Product family benefits

- Large input voltage range

### Areas of application

- Wide range of applications


# Product datasheet

## Technical data

### Electrical data

Nominal voltage	100...240 V
Mains frequency	50...60 Hz
System wattage	30.00 W

### Dimensions & weight



Length	90.0 mm
Width	36.0 mm
Height	58.0 mm
Product weight	120.00 g

### Temperatures & operating conditions

Ambient temperature range	-20...+55 °C
---------------------------	--------------

### Additional product data

Predecessor EAN	4008321555311
-----------------	---------------

### Capabilities

Dimmable	No
Type of installation	DIN rail mounting

### Certificates & standards

Type of protection	IP20
--------------------	------

### Logistical data

Commodity code	85044095900
----------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	04-10-2023
Primary Article Identifier	4052899553880
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899553880	POWER SUPPLY PS 30	Shipping carton box 200	610 mm x 460 mm x 540 mm	151.52 dm <sup>3</sup>	29400.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.