OSRAM

LEDinspect TWIST 450

Inspection lights





Multi-Angle Flex & Twist

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



450 Lumen

2 light functions:Up to 450lm -highUp to 250lm -low



2in1

Inspection light & Torchlight function



2-year OSRAM Guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



Light is versatile

With the TWIST 450 you have the possibility to easily control the direction of the light beam. A light output of up to 450 lumens and a colour temperature of up to 6000K, make the TWIST 450 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

	Product informat		General Produ Information	ıct	Electrical Data	9		
Product description	Application (Category and Product specific)		Global order reference		Nominal voltage		Nominal wattage	
INSPECTION LAMP	LED inspection li	ghts	LEDIL412C		5 V		6 W	
	Photometric Data	a				Physica Dimens	al Attributes & sions	
Product description	3	Nominal Tux	luminous	Color te	emperature	Height		
INSPECTION LAMP	White 4	150 lm		6000 K		230.0 n	nm	
Product description	Width		Length		Product weigh	nt	LED module information	
. roduct description	VII.		_cgui		. roudet weig.		LEDs per module	
INSPECTION LAMP	45.0 mm		28.0 mm		280.00 g		1	
	Colors & materia		Lifetime Data	Additiona	al product data			
Product description	Base color		Guarantee	Scope of			umber of included atteries	
INSPECTION LAMP	Black / Orange		2 years	Yes		1		
			Capabilities	Certifica standar		Logistic	cal data	
Product description	Type of Battery		Technology	IK Class		Watt hour per battery		
INSPECTION LAMP	Rechargeable		LED	IK09		8.14		
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)							
Product description	Candidate list substance 1		CAS No. of sul	bstance	Safe use instr	uction	Declaration no. in SCIP database	
INSPECTION LAMP	Lead		7439-92-1		The identifica the Candidate substance is sufficient to a safe use of the article.	List	0438e4db-58f7- 4a06-b29d- 1619cb930f49	

Product family datasheet

Download Data

	File
Z	User instruction LEDinspect TWIST 450
X	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and the user instruction.* for precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.