Product family datasheet

LEDriving SL W5W YELLOW

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Amber



Replaces conventional W5W lamps Easy upgrade to LED technology with

plug & play solutions



OSRAM

Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W5W

LEDriving SL W5W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Electrical Data	Photometric Data			
Product description	Power Nominal	voltage Nomina	l wattage	Test voltage	Nominal luminous flux
LEDriving SL ≙ W5W	0.7 W 12 V	1 W		13.5 V	7 lm
	Phys	ical Attributes & Dimer	isions	Lifeti	me Data
Product description	Luminous Diam flux	eter Dia	meter	Lifes B3	pan Lifespan Tc
	tolerance				
LEDriving SL ≜ W5W	tolerance ±25 % 10.0	mm 10.	0 mm	1500	hr 4000 hr
LEDriving SL ≜ W5W	±25 % 10.0 Environmental & Reg		-		
LEDriving SL ≜ W5W	±25 % 10.0 Environmental & Reg	gulatory Information	ion (EC) 1907/		n)

Product description	Declaration no. in SCIP database	
LEDriving SL \doteq W5W	f90f3eec-3abb-45d6-	
	9b83-de23e324a03d	
	24ded562-2796-	
	41bc-95b7-	
	aa7b81b84edb	

Product family datasheet

Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.