OSRAM

LEDriving SL PS19W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



Replaces conventional PS19W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for PS19W

LEDriving SL PS19W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional PS19W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Electrical	Photom etric Data				
Product description	Power input	Nominal voltage	Nominal wattage	Power input toleranc	Test voltage	Nominal luminou s flux
LED : CL + DC40W	4.034/	42.1/	4.114	e	47.51/	1401
LEDriving SL \triangleq PS19W	1.8 W	12 V	1 W	±10 %	13.5 V	140 lm

	Physical Attributes & Dimensions					
Product description	Lamp base	Length	Diameter	D	Diameter	
LEDriving SL ≙ PS19W	PG20-1	42.5 mm	15.5 mm	1	15.5 mm	
	Lifetime Data		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		on	
Product description	Lifespan B3	Lifespan Tc	Primary article identifier	Candidate list substance 1		
LEDriving SL ≜ PS19W	1500 hr	4000 hr	4062172150293 4062172401456	Lead		

LEDriving SL ≜ PS19W 7439-92-1 The identification of the Candidate List 4a87-a27f-substance is 369be63e9f5a sufficient to allow 369be63e9f5a 11589200-5e74-	Product description	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
safe use of the 464c-a970- article. 2b1ae6f9e2dc	LEDriving SL ≜ PS19W	7439-92-1	the Candidate List substance is sufficient to allow safe use of the	4a87-a27f- 369be63e9f5a 11589200-5e74- 464c-a970-

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.