

ORIGINAL - S8 WEDGE BASE P27/7W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with plastic bases offer reliable OEM quality. The original spare parts are available for different applications.

Technical data

Product information

Order reference	3157
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Nominal voltage	128 V
Nominal wattage	27/7 W
Test voltage	13.5 V

Photometrical data

Luminous flux	402 lm
---------------	--------

Dimensions & weight



Diameter	2650 mm
Product weight	726 g
Length	533 mm

Lifespan

Lifespan Tc	600 / 5000 h
-------------	--------------

Additional product data

Base (standard designation)	W2.5x16q
-----------------------------	----------

Capabilities

Technology	AUX ¹⁾
------------	-------------------

¹⁾ Auxiliary signal lamp

Product datasheet

Certificates & standards

ECE category	P27/7W
--------------	--------

Country specific categorizations

Order reference	3157
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-03-2024
Primary Article Identifier	4008321090683 4006584394302 4006584727254 4008321785190 4052899183414 4055462300515 4055462351609 4059089500143 4059089500105 4059089500686 4059089501096 4059089081246
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899183414	S8 WEDGE BASE P27/7W	Unpacked 1	- x - x -		7.00 g
4052899183421	S8 WEDGE BASE P27/7W	Folding carton box 10	77 mm x 29 mm x 172 mm	0.38 dm³	92.00 g
4052899183438	S8 WEDGE BASE P27/7W	Shipping carton box 50	181 mm x 154 mm x 90 mm	2.51 dm³	524.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

