Product datasheet

OSRAM

ORIGINAL - PSX PSX26W

OSRAM spare parts



OSRAM spare parts

Discover our ORIGINAL PSX lamps. The spare parts are signal lamp types for different applications. They provide a high and constant luminous flux.

Product datasheet

Technical data

Product information

Order reference	6851	
Application (Category and Product specific)	Auxiliary lamp	

Electrical data

Power input	26 W
Nominal voltage	120 V
Nominal wattage	2600 W
Test voltage	13.5 V

Photometrical data

Luminous flux	500 lm
Luminous flux tolerance	+10 %

Dimensions & weight

Diameter	1850 mm
Product weight	960 g
Length	467 mm

Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	PG18.5d-3

Capabilities

	1)
Technology	AUX 1)

¹⁾ Auxiliary signal lamp

Certificates & standards

ECE category	PSX26W
--------------	--------

Country specific categorizations

Order reference	6851

Environmental information

Product datasheet

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	07-03-2024		
Primary Article Identifier	4062172160100		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	No declarable substances contained		

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172160100	ORIGINAL - PSX PSX26W	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm³	13.00 g
4062172160117	ORIGINAL - PSX PSX26W	Bundle 10	- x - x -		
4062172160124	ORIGINAL - PSX PSX26W	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm ³	1472.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

