

## AirZing UV-Compact Pro Pro 1

OSRAM AirZing UV-Compact Pro | Specialty lamps



Product datasheet

Technical data

Product information

Air Flow Rate	14 m³/ h
Filter Type	HEPA H11-Filter

Electrical data

Power Source	USB-C
--------------	-------

Dimensions & weight

Diameter	70.0 mm
Product weight	300.00 g

Colors & materials

Product color	Grey
---------------	------

Additional product data

Noise Level (dB)	ZLOV1FD02120-000001
------------------	---------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-03-2024
Primary Article Identifier	4062172192804
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	4b7d6e6d-8668-40f3-a82a-7c4996004e9f

Product datasheet



AirZing UV-Compact

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172192804	AirZing UV-Compact Pro Pro 1	Folding carton box 1	134 mm x 114 mm x 292 mm	4.46 dm <sup>3</sup>	553.00 g
4062172192811	AirZing UV-Compact Pro Pro 1	Shipping carton box 4	292 mm x 252 mm x 326 mm	23.99 dm <sup>3</sup>	2661.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.