

# LEDDriving ADAPTER (OFFROAD) 64210DA06

Accessories for LED retrofit lamps



### Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Guarantees a perfect fit due to optimal fastening of the H7 lamp.



# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Accessories for LED retrofits
---	-------------------------------

### General Product Information

Global order reference	64210DA06
------------------------	-----------

### Physical Attributes & Dimensions

Diameter	35.1 mm
Product weight	3.00 g

### Lifetime Data

Guarantee	3 years
-----------	---------

### Capabilities

Technology	LED accessories
------------	-----------------

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	05-08-2024
Primary article identifier	4062172183932
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	66c24bfe-e684-4cf2-9381-c61c70ff6061

## Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172183932	LEDriving Adapter 64210DA06		- x - x -	0.73 dm <sup>3</sup>	
4062172183949	LEDriving Adapter 64210DA06	Shipping carton box 20	- x - x -	6.06 dm <sup>3</sup>	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### Download Data

File	
	User instruction LEDiving ADAPTER

---

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM