OSRAM

LEDinspect HEADTORCH250

Inspectionlights





Motion Sensor Activation
Easily control light during
hands free use



250 Lumen
Two light functionsHigh: Up
to 250 lmLow: Up to 140 lm



60° Flex

Adjustable light angle to get the light to the desired position



2-year-OSRAM guarantee*
Systematic quality assurance
measures underpin the
premium workmanship and
functionality of our products.
Innovative technology and
excellent quality really pay
dividends for our customers.



Light is versatile

This high-quality headtorch from OSRAM is perfect for professional and private use. With two light functions - high up to 250lm and low up to 140lm, there is a light output to suit a wide variety of tasks. The integrated motion sensor technology allows for hassle-free, hands-free working and the option for the 60° tilt angle provides flexibility to give light where needed. The rechargeable battery allows up to 3.5h of operation at high power or up to 6h at low power. A USB Type-C charging cable and the corresponding power adaptor are included in the scope of supply. In accordance with IP54 protection rating, this headtorch has protection against ingress of particles and against splashing water and

Product family datasheet

is tested for impact resistance in accordance with IK08. The LEDinspect HEADTORCH 250 has soft pads inside and additionally an adjustable strap for optimal wearing comfort and is therefore ideal as a light for craft activities, car repairs and in everyday life. In addition, OSRAM grants a 2-year guarantee*

Product family datasheet

Technical data

| | duct description Application (Category and Product specific) | | | | Electrical Data Nominal voltage | | | |
|---------------------|--|----------------|----------------------|--------------------------|---|------------------------------|--|--|
| Product description | | | | | | | Nominal wattage | |
| INSPECTION LAMP | LED inspection lights | | LEDIL404 | | 3.7 V | | 5 W | |
| | Photometric Data | | | | Physica Dimens | | al Attributes & sions | |
| Product description | | Nominal Iux | luminous | Color te | emperature | Height | | |
| INSPECTION LAMP | White 2 | 250 lm | | 5700 K | | 45.0 mr | n | |
| | | | | | | | LED module information | |
| Product description | Width | | Length | | Product weigh | t | Number of LEDs per module | |
| INSPECTION LAMP | 42.0 mm | | 67.0 mm | | 105.00 g | | 1 | |
| | Colors & materials | | Lifetime Data | Addition | al product data | | | |
| Product description | Base color | | Guarantee | | | Number of included batteries | | |
| INSPECTION LAMP | Black / Orange | | 2 years | Yes | | 1 | | |
| | | | Capabilities | Certificates & standards | | Logistical data | | |
| Product description | Type of Battery | | Technology | IK Class | | Watt hour per battery | | |
| INSPECTION LAMP | Rechargeable | | LED | IK08 | | 16.70 | | |
| | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | | | | | | |
| Product description | Candidate list substance 1 | | CAS No. of substance | | Safe use instruction | | Declaration no. in SCIP database | |
| INSPECTION LAMP | Lead | | 7439-92-1 | | The identificat the Candidate substance is sufficient to al safe use of the article. | List | bdeca20c-87d7-47fc- a8d4-ed431387b196 | |

Product family datasheet

Download Data

File



User instruction

LEDinspect HEADTORCH 250



User instruction

GPRS_Safety symbols instructions

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.