## **OSRAM**

# LEDinspect SLIM MAX1000

### Inspectionlights





Dimmer Switch
Individually adjustable
brightness levels with up to
1000 lm



1000 Lumen
Bright, white LED light and
uniform light distribution



Multi-Angle Light Output
High flexibility due to
individual adjustment of the
light beam



2-year-OSRAM guarantee\*
Systematic quality assurance
measures underpin the
premium workmanship and
functionality of our products.
Innovative technology and
excellent quality really pay
dividends for our customers.



### Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. Charging cable and mains adaptor are included in the scope of supply. In accordance with the IP protection class IP65,

### Product family datasheet

this inspection light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year guarantee on this product\*

## Product family datasheet

### Technical data

	Product information	General Prod Information	General Product Information Global order reference		a	Nominal wattage
Product description	Application (Categor and Product specific)				age	
INSPECTION LAMP	LED inspection lights	s LEDIL410		3.7 V		9 W
	Photometric Data			Physical Attributes & Dimensions		
Product description	Light color Nom LED flux	inal luminous	Color t	emperature	Height	t
INSPECTION LAMP	White 1000 lm 600		6000 K	K 50.0 mm		
Product description	Width	Length		Product weig	ht	LED module information
		-				LEDs per module
INSPECTION LAMP	50.0 mm	365.0 mm		340.00 g		2
	Colors & materials Lifetime Additional product data Data					
Product description	Base color	Guarantee	Scope of	f battery	Number batterie	of included
INSPECTION LAMP	Black / Orange	2 years	Yes		1	
		Capabilities	Certific standa	_		ical data
Product description	Type of Battery	Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	Rechargeable	LED	IK06		9.49	
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Product description	Candidate list substance 1	CAS No. of su	bstance	Safe use instr	uction	Declaration no. in SCIP database
INSPECTION LAMP	Lead	7439-92-1		The identificathe Candidate substance is sufficient to a safe use of tharticle.	e List Illow	99d5749d-0f33-4ebf- 9ff7-b17da405d236

### Product family datasheet

### Download Data

#### File



User instruction
GPRS\_Safety symbols instructions

### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.