

# LEDinspect SLIM MAX1000

## Inspectionlights



### Dimmer Switch

Individually adjustable brightness levels with up to 1000 lm



### 1000 Lumen

Bright, white LED light and uniform light distribution



### Multi-Angle Light Output

High flexibility due to individual adjustment of the light beam



### 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



### Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. Charging cable and mains adaptor are included in the scope of supply. In accordance with the IP protection class IP65,

this inspection light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year guarantee on this product\*

Product family datasheet

Technical data

|                     | Product information   |                        | General Product Information  | Electrical Data          |                                      |
|---------------------|---|------------------------|--|--------------------------|--------------------------------------|
| Product description | Application (Category and Product specific)   |                        | Global order reference   | Nominal voltage          | Nominal wattage                      |
| INSPECTION LAMP     | LED inspection lights   |                        | LEDIL410   | 3.7 V                    | 9 W                                  |
|                     | Photometric Data  |                        |  |                          | Physical Attributes & Dimensions     |
| Product description | Light color LED   | Nominal luminous flux  | Color temperature  |                          | Height                               |
| INSPECTION LAMP     | White   | 1000 lm                | 6000 K   |                          | 50.0 mm                              |
|                     |   |                        |  |                          | LED module information               |
| Product description | Width   | Length                 | Product weight   |                          | Number of LEDs per module            |
| INSPECTION LAMP     | 50.0 mm   | 365.0 mm               | 340.00 g   |                          | 2                                    |
|                     | Colors & materials  |                        | Lifetime Data  | Additional product data  |                                      |
| Product description | Base color  |                        | Guarantee  | Scope of battery         | Number of included batteries         |
| INSPECTION LAMP     | Black / Orange  |                        | 2 years  | Yes                      | 1                                    |
|                     |   |                        | Capabilities   | Certificates & standards | Logistical data                      |
| Product description | Type of Battery   |                        | Technology   | IK Class                 | Watt hour per battery                |
| INSPECTION LAMP     | Rechargeable  |                        | LED  | IK06                     | 9.49                                 |
|                     | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                        |  |                          |                                      |
| Product description | Candidate list substance 1  | CAS No. of substance 1 | Safe use instruction   |                          | Declaration no. in SCIP database     |
| INSPECTION LAMP     | Lead  | 7439-92-1              | The identification of the Candidate List substance is sufficient to allow safe use of the article. |                          | 99d5749d-0f33-4ebf-9ff7-b17da405d236 |

Download Data

| File  |  |
|---|--|
|  | User instruction<br>GPRS_Safety symbols instructions |

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.