

## LEDsBIKE ACC101



### Robust and vibration resistant

Reliable hold even on rough terrain



### Easy to install

Quick-release design for fast mounting and removal



### 2-year OSRAM guarantee<sup>1)</sup>

Durable and lightweight – designed for long-term use

### Fast installation, reliable hold

Secure your LEDsBIKE lights with ease using the OSRAM mounting set. This set includes a Garmin-compatible bracket for the front light and a flexible rubber strap for the rear light. The universal handlebar mount fits diameters from 22.2 mm to 35 mm. Thanks to its quick-release design, installation and removal are effortless. Built for durability and stability, it withstands vibrations and prevents slipping even on rough terrain, while remaining lightweight for optimal performance. In addition, OSRAM offers a 2-year guarantee<sup>1)</sup>.



### Compatibility:

LEDsBIKE COMPACT 50/100

LEDsBIKE EXPLORER X 500/1000

LEDsBIKE MULTI BEAM X 1000

LEDsBIKE RACE REAR

LEDsBIKE COMPACT REAR

LEDsBIKE X REAR

## Product family datasheet

### Technical data

Product description	Product information		General Product Information	Lifetime Data
	Application (Category and Product specific)	Product legal advice 1	Global order reference	Guarantee
LEDsBIKE ACC101	LED Bike Lights Mount	1) For precise conditions refer to: <a href="http://www.osram.com/am-guarantee">www.osram.com/am-guarantee</a>	LEDBL ACC101	2 years

Product description	Additional product data	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Compatible handlebars	Primary article identifier	Declaration no. in SCIP database
LEDsBIKE ACC101	Ø 22.2 / 25.4 mm / 31.8 mm / 35 mm	4062172425964	In work

## Product family datasheet

---

### Download Data

File	
	User instruction G15143063 UI LEDsBIKE ACC101 LEDBLACC101
	User instruction GPRS_Safety symbols instructions

#### Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

#### Legal advice

1) For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.