

# LEDambient Trunk Light



**Universal LED trunk light with acceleration and brightness sensor**

For higher visibility in everyday situations



**Multi-function 2 in 1**

Applicable as trunk and torch light



**Easy car side fixation via magnet and additional mounting plate**

Strong magnet for a quick attachment



**2 years OSRAM guarantee<sup>1)</sup>** For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Powerful performance and exceptionally long service life



## Precisely illuminating vehicle interiors

Introducing the universal LEDambient Trunk Light, the perfect companion for your car's storage space. Packed with advanced features and designed to enhance your convenience, this versatile light will transform the way you use the trunk. Featuring an acceleration and brightness sensor, the trunk light boasts an automatic light function that activates as soon as you open the car trunk. Our light illuminates your trunk instantly, making it effortless to find what you need. With both automatic and manual functionality, you have complete control over the lighting. With a color temperature of up to 6,000K, the trunk light provides a bright and clear illumination, allowing you to see every detail in your trunk. Very practical: With its 2 in 1

multifunction, the light can be used as an inspection lamp and as a torch light. In addition, equipped with a rechargeable 1500mAh battery, the trunk light offers long-lasting performance. The included USB-C cable allows for convenient charging, ensuring you're always prepared. Thanks to the easy car side fixation via the magnet and additional mounting plate, an easy installation is included. Simply attach the light to your car's interior using the strong magnet or the included mounting plate, and you're ready to go. The powerful magnet ensures a secure attachment, so you never have to worry about the light falling or moving while you're on the road. Trust in the quality and durability of the universal LED trunk light - OSRAM provides a 2-year guarantee<sup>1)</sup>. 1) For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Product family datasheet

Technical data

	General Product Information	Electrical Data		Photometric Data
Product description	Global order reference	Nominal voltage	Nominal wattage	Nominal luminous flux
LEDambient Trunk Light	LEDINT106	3.7 V	30.00 W	40 lm

		Physical Attributes & Dimensions		
Product description	Color temperature	Height	Width	Length
LEDambient Trunk Light	6000 K	63.0 mm	17.5 mm	108.0 mm

		Lifetime Data		Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Product weight	Lifespan Tc	Guarantee	Standards	Primary article identifier
LEDambient Trunk Light	100.00 g	1000 hr	2 years	CE	4062172240062

Product description	Candidate list substance 1	Declaration no. in SCIP database
LEDambient Trunk Light	No declarable substances contained	No declarable substances contained

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	User instruction LEDambient TRUNK LIGHT
	Movie application LEDambient Trunk Light LEDINT106 Produkt Video DE
	Movie application LEDambient Trunk Light LEDINT106 Product Video EN

Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.